




PREMIUM QUALITY TABLE TOP HPL



TABTOPS

"SAMRAT TABTOPS WHERE STRENGTH MEETS STYLE."

 :WWW.SAMRATHPL.COM



ABOUT SAMRAT COUNTER TOP HPL



37 + of excellence in crafting world-class surfacing solutions from Laminates & Plywood to Compact HPL and Cladding Panels.

Global presence across 25+ Countries and 21 Indian states, trusted by architects, designers, and homeowners alike.

- Engineered with precision using European décor papers, high-performance resins, and advanced technology.
- Committed to sustainability through FSC-certified raw materials and eco-compliant manufacturing.
- Introducing Samrat TabTops – a premium HPL range for Kitchen Tops, Countertops & Work Surfaces, where style meets strength.



ABOUT SAMRAT COUNTER TOP HPL

PREMIUM HPL FOR COUNTERTOPS,
KITCHEN TOPS & TABLE SURFACES.

- Samrat TabTops is a premium-grade High-Pressure Laminate (HPL), engineered specifically for kitchen countertops, dining tables, café worktops, and commercial counters that demand both style and durability.
- It is built using multiple layers of kraft paper impregnated with thermosetting resins and a decorative surface layer fused under high temperature and pressure – resulting in a dense, self-supporting, and high-performance compact sheet.
- To enhance surface endurance, a special protective overlay is applied on the top layer, providing exceptional resistance to scratches, stains, and heat, ensuring long-lasting beauty even under demanding conditions.
- The result is a surface that combines the elegance of natural stone or wood with the practicality of engineered HPL, offering both aesthetic richness and everyday resilience.
- TabTops surfaces are non-porous, hygienic, easy to clean, and suitable for residential kitchens, hospitality, retail, and office interiors.



SIZE & THICKNESSES



AVAILABLE SIZES:

1220 × 2440 mm, 1240 × 3050 mm, 620 × 3050 mm

AVAILABLE THICKNESSES:

6 mm to 20 mm

- Offered in a variety of textures and finishes such as Gloss, Matt, Suede, Stone, and Anti-Fingerprint – allowing architects and designers to create seamless, high-end spaces.



KEY FEATURES & ADVANTAGES

BUILT TO PERFORM. DESIGNED TO IMPRESS.



Performance & Functional Strength

- High Heat Resistance – tolerates up to 180 °C
- High Impact Strength – withstands heavy daily use
- Dimensional Stability – retains shape under humidity & temperature variations
- Moisture & Steam Resistant – no swelling or delamination.
- Anti-Warping & Self-Supporting – maintains rigidity without substrate.
- Boiling-Water Proof – resists prolonged hot-water exposure.
- Slip-Resistant surface option for safe use in horizontal areas.



Surface Durability & Protection

- Advanced Protective Overlay provides superior resistance to scratches, stains & heat.
- High Abrasion Resistance for high-traffic areas.
- Stain-Proof & Chemical-Resistant surface.
- UV & Colour Stability – prevents fading and yellowing.
- Anti-Static – resists dust accumulation.
- Fire-Retardant option (Class B-s1,d0 on request).



Hygiene, Health & Maintenance

- Antiviral & Antimicrobial – inhibits growth of viruses, bacteria & fungi.
- Non-Porous surface prevents dirt and moisture penetration.
- Food-Safe, Odour-Resistant & Easy to Clean.
- Low-Maintenance – requires only mild detergent cleaning.
- Low VOC (E1 Compliant) for healthy indoor air.
- No surface peeling, cracking, or flaking.



Aesthetic & Design Versatility

- Wide décor palette – Marble, Stone, Woodgrain, Solid, Metallic.
- Multiple finishes – Gloss, Matt, Suede, Stone, Anti-Fingerprint.
- Realistic textures replicate natural materials.
- Seamless look for long counters & islands.
- Edge machinable & post-formable variants available.
- Sizes – 1220×2440 mm, 1240×3050 mm, 620×3050 mm.
- Thickness – 6 mm to 20 mm.



Technical Excellence

- Manufactured to EN 438 standards.
- Uniform density ($\approx 1350 \pm 50 \text{ kg/m}^3$).
- Balanced construction prevents bowing.
- Precision calibration ensures thickness accuracy.
- High inter-layer bond strength $> 90 \text{ N/mm}^2$.
- Made with premium European décor papers & krafts.



Environmental & Safety Commitment

- FSC-certified raw materials
- Eco-friendly resins and energy-efficient production.
- Recyclable & sustainable.
- Free from heavy metals and hazardous substances.
- Supports green building compliance.



Reliability & Brand Assurance

- Backed by Samrat's 37+ years of expertise.
- Trusted in 25+ countries across Europe, Middle East & Asia.
- Comprehensive warranty and after-sales support.
- Preferred by architects, designers & fabricators worldwide.



TECHNICAL SPECIFICATIONS SAMRAT COUNTER TOP HPL



PREMIUM COUNTERTOP & KITCHEN TOP HPL WITH ENHANCED SURFACE OVERLAY TECHNOLOGY

PROPERTY	TEST METHOD / STANDARD	TYPICAL RESULT (WITH 28 GSM PERFORMANCE OVERLAY)	REFERENCE / EXPLANATION
Scratch Resistance	EN 438-2 / Taber or Erichsen Scratch Test	> 3.5 N to 5 N	Depending on resin impregnation & press parameters. Standard HPLs without this overlay are \approx 2 N.
Abrasion Resistance	EN 438-2 / 10 Revolutions Method	\geq 350 to \geq 600 cycles (occasionally \geq 1000 in premium systems)	High-density -cellulose and controlled resin penetration improve wear life.
Gloss Retention after Abrasion	EN 438-2 Clause 10	Excellent (loss < 5 %)	Maintains long-term surface finish stability.
Heat Resistance	EN 438-2 Clause 16	\geq 180 °C (no change in gloss or color)	Enhanced by denser resin matrix in overlay layer.
Surface Hardness	Mohs Scale Equivalent	\approx 4.5 – 5	Typically 30–40 % higher than standard overlay tissues.
Impact Resistance (Small Ball)	EN 438-2.21	\geq 1800 mm	Excellent mechanical durability.
Density	ISO 1183	1350 ± 50 kg/m ³	High-density compact construction.
Stain Resistance	EN 438-2.26	Grade 5	Resists coffee, turmeric, acids & household chemicals.
Light Fastness	EN 438-2.27	Blue Scale \geq 7 / Grey Scale \geq 5+	Excellent UV & color stability.
Antiviral / Antimicrobial Efficacy	ISO 21702 / ISO 22196	> 99.9 % reduction	Ensures hygienic, food-safe surface.
Dimensional Stability (L/W)	EN 438-2.17	\leq 0.30 %	Excellent dimensional control.
Boiling Water Resistance	EN 438-2.15	Pass	No blistering or surface change.
Water Absorption	EN 438-2.24	\leq 0.50 %	Highly moisture resistant.
Fire Retardancy (Optional)	EN 13501-1	Class B-s1,d0	Available on request.
Formaldehyde Emission	EN 717-2	\leq 0.3 mg/m ³ (E1 Class)	Low VOC, eco-compliant.
Sizes Available	-	1220 \times 2440 mm / 1240 \times 3050 mm / 620 \times 3050 mm	Custom sizes on request.
Thickness Range	-	6 – 20 mm	Uniform, calibrated sheets.
Finishes	-	Gloss, Matt, Suede, Stone, Anti-Fingerprint	Multiple texture options for design flexibility.

APPLICATIONS



KITCHEN COUNTERTOPS



OFFICE & CAFETERIA WORKTOPS



DINING TABLES



RETAIL COUNTERS



BATHROOM VANITIES



HOSPITALITY INTERIORS



SUSTAINABILITY & CERTIFICATIONS



The mark of
responsible forestry

FSC CERTIFIED
RAW MATERIALS



LOW EMISSION
(E1 COMPLIANT)



CE CERTIFIED



ECO-FRIENDLY
RESIN SYSTEM



100%
RECYCLABLE
CORE



ANTI VIRAL AND
ANTI MICROBIAL

EPD®



EPD



FIRE RESISTANCE



7 YEARS
WARRANTY

NRO

NRO



WHY CHOOSE SAMRAT COUNTER TOP HPL

BECAUSE EVERY SURFACE DESERVES THE BEST.

- **Engineered for Performance:** Special 28 GSM high-performance overlay ensures outstanding scratch, stain, and heat resistance.
- **Made for Kitchens & Worktops:** Designed specifically for horizontal use – counters, tables, vanities, and commercial tops.
- **Superior Abrasion Life:** Up to 600+ cycles, ensuring long-lasting surface finish even in heavy-use areas.
- **High Scratch Resistance:** > 3.5 – 5 N – resists daily wear from utensils, crockery, and tools.
- **Excellent Heat Endurance:** Withstands up to 180 °C with no gloss loss or colour shift.
- **Elegant Décor Range:** Marble, stone, woodgrain, and solid colour options with multiple finishes – Gloss, Matt, Suede, Stone & Anti-Fingerprint.
- **Hygienic & Safe:** Antiviral, antimicrobial, and food-safe non-porous surface – perfect for kitchens and cafés.
- **Moisture & Steam Resistant:** Performs flawlessly in humid environments without swelling or delamination.
- **UV & Colour Stable:** Maintains design vibrancy and gloss for years under sunlight or indoor lighting.
- **Eco-Friendly Manufacturing:** Made using FSC-certified papers and low-emission resins (E1 Compliant).
- **European Raw Materials:** Premium décor papers and performance overlays from globally trusted suppliers.
- **Precision-Made in India:** Manufactured with European technology under strict EN 438 compliance.
- **Custom Sizes & Thickness:** Available from 6 mm – 20 mm and multiple sheet formats for flexible design.
- **Easy to Fabricate:** Can be cut, profiled, or post-formed with standard tools; ideal for modular kitchen makers.
- **Globally Trusted Brand:** Backed by Samrat's 37+ years of expertise and installations in 25+ countries.
- **Affordable Luxury:** Offers the beauty and strength of premium European tops at an accessible cost.
- **Long-Term Warranty:** Supported by Samrat's service network and quality assurance guarantee.
- **Consistent Supply & Support:** Large production capacity ensures timely deliveries and uniform quality.



Design Range

MARBLE SERIES



STONE SERIES



WOOD SERIES



SOLID SERIES



Contact

CORPORATE OFFICE
SAMRAT PLYWOOD LIMITED
SCO 827, FIRST FLOOR, NAC MANIMAJRA
CHANDIGARH, INDIA - 160101

 : WWW.SAMRATHPL.COM

 : INFO@SAMRATPLY.IN

 : +91 8195960111

FOLLOW US ON  